

Ring Adapter model	The internal diameter of the insert needs to match the outer diameter of the objective lens housing of the daylight optical device it is being installed on.	
	Insert internal diameter, mm	Suitable for lens housing of daylight optical devices with an outer diameter of, mm
PSP-30B (SKU 79205)	No insert required	30
PSP 42B (SKU 79206)	45.5	45.5
	46	46
	46.5	46.5
	47	46.7-47.6
	48	47.7-48.6
	49	48.7-49.6
	50	49.7-50.6
PSP 50B (SKU 79207)	51.6	51.6
	53.4	53.4
	55	54.7-55.6
	56	55.7-56.6
	57	56.7-57.6
	58	57.7-58.6
PSP 56B (SKU 79208)	59	58.7-59.6
	60	59.7-60.6
	61	60.7-61.6
	62	61.7-62.6
	63	62.7-63.6
	64	63.7-64.6
	65	64.7-65.6

Modèle de l'adaptateur	Correspondance entre le diamètre intérieur de l'insert et le diamètre extérieur du corps de l'objectif de l'appareil optique de jour	
	Diamètre intérieur d'insert, mm	Le diamètre extérieur de l'objectif de l'appareil optique de jour, mm
PSP-30B (SKU 79205)	Aucun insert requis	30
PSP 42 mm (SKU 79206)	45,5	45,5
	46	46
	46,5	46,5
	47	46,7-47,6
	48	47,7-48,6
	49	48,7-49,6
PSP 50B (SKU 79207)	50	49,7-50,6
	51,6	51,6
	53,4	53,4
	55	54,7-55,6
	56	55,7-56,6
PSP 56B (SKU 79208)	57	56,7-57,6
	58	57,7-58,6
	59	58,7-59,6
	60	59,7-60,6
	61	60,7-61,6
PSP 56B (SKU 79208)	62	61,7-62,6
	63	62,7-63,6
	64	63,7-64,6
	65	64,7-65,6

Adaptermodell	Übereinstimmung des Innendurchmessers des Einsatzrings und des Außendurchmessers des Objektivgehäuses der Tageslichtoptik	
	Innendurchmesser des Einsatzrings, mm	Außendurchmesser des Objektivs der Tageslichtoptik, mm
PSP-30B (SKU 79205)	Kein Einsatz erforderlich	30
PSP 42 mm (SKU 79206)	45,5	45,5
	46	46
	46,5	46,5
	47	46,7-47,6
	48	47,7-48,6
	49	48,7-49,6
PSP 50B (SKU 79207)	50	49,7-50,6
	51,6	51,6
	53,4	53,4
	55	54,7-55,6
	56	55,7-56,6
	57	56,7-57,6
PSP 56B (SKU 79208)	58	57,7-58,6
	59	58,7-59,6
	60	59,7-60,6
	61	60,7-61,6
	62	61,7-62,6
	63	62,7-63,6
	64	63,7-64,6
	65	64,7-65,6

Modelo del adaptador	Referencia del diámetro interior del casquillo y del diámetro exterior del casco del objetivo del dispositivo óptico diurno	
	Diámetro interior del casquillo, mm	Diámetro exterior del objetivo del dispositivo óptico diurno, mm
PSP-30B (SKU 79205)	No se necesita casquillo	30
PSP 42 mm (SKU 79206)	45,5	45,5
	46	46
	46,5	46,5
	47	46,7-47,6
	48	47,7-48,6
	49	48,7-49,6
	50	49,7-50,6
PSP 50B (SKU 79207)	51,6	51,6
	53,4	53,4
	55	54,7-55,6
	56	55,7-56,6
	57	56,7-57,6
	58	57,7-58,6
PSP 56B (SKU 79208)	59	58,7-59,6
	60	59,7-60,6
	61	60,7-61,6
	62	61,7-62,6
	63	62,7-63,6
	64	63,7-64,6
	65	64,7-65,6

Modello dell'adattatore	Corrispondenza del diametro interno dell'inserto al diametro esterno del corpo dell'obiettivo del dispositivo ottico diurno	
	Il diametro interno dell'inserto, mm	Il diametro esterno dell'obiettivo del dispositivo ottico diurno, mm
PSP-30B (SKU 79205)	Nessun inserto necessario	30
PSP 42 mm (SKU 79206)	45,5	45,5
	46	46
	46,5	46,5
	47	46,7-47,6
	48	47,7-48,6
	49	48,7-49,6
PSP 50B (SKU 79207)	50	49,7-50,6
	51,6	51,6
	53,4	53,4
	55	54,7-55,6
	56	55,7-56,6
PSP 56B (SKU 79208)	57	56,7-57,6
	58	57,7-58,6
	59	58,7-59,6
	60	59,7-60,6
	61	60,7-61,6
PSP 56B (SKU 79208)	62	61,7-62,6
	63	62,7-63,6
	64	63,7-64,6
	65	64,7-65,6